

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 28		
1. CONTRACT PURCH ORDER/AGREEMENT NO. W56HZV-04-P-0346			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2004JAN13		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4			
6. ISSUED BY TACOM WARREN BLDG 231 AMSTA-AQ-AHPC JEFF SIMONIS (586)574-7103 WARREN, MICHIGAN 48397-5000 EMAIL: SIMONISJ@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL			CODE W56HZV		7. ADMINISTERED BY (If other than 6) DCMA CHICAGO 1523 WEST CENTRAL ROAD BLDG 203 ARLINGTON HEIGHTS IL 60004-2451 SCD: B PAS: NONE ADP PT: HQ0339				8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)			
9. CONTRACTOR GREENLEES FILTER, LLC 7550 INDUSTRIAL DRIVE FOREST PARK, IL. 60130 NAME AND ADDRESS TYPE BUSINESS: Other Small Business Performing in U.S.			CODE 3ES68		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED		
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381				CODE HQ0339 MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2			
16. TYPE OF ORDER DELIVERY/CALL PURCHASE X THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT. Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation W56HZV04Q0152, Dated 2003DEC05. DIANNE RUTHERFORD furnish the following on terms specified herein. ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.												
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMDD) <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:												
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE												
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders				20. QUANTITY ORDERED/ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT	
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.		24. UNITED STATES OF AMERICA ELLEN DENNIS /SIGNED/ DENNISE@TACOM.ARMY.MIL (586)574-8056 BY: CONTRACTING/ORDERING OFFICER							25. TOTAL \$80,750.00		26. DIFFERENCES	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED												
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE				
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO. <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		29. D.O. VOUCHER NO.		30. INITIALS		
f. TELEPHONE NUMBER			g. E-MAIL ADDRESS			31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.								34. CHECK NUMBER				
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.		
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.		

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page</b> 2 <b>of</b> 28
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	TACOM	DISCLOSURE OF UNIT PRICE INFORMATION	DEC/2002

This constitutes notification pursuant to Executive Order 12600, Pre-Disclosure Notification Procedures for Confidential Commercial Information (June 23, 1987), of our intention to release unit prices in response to any request under the Freedom of Information Act, 5 USC 552. Unit price is defined as the contract price per unit or item purchased. We consider any objection to be waived unless the contracting officer is notified of your objection to such posting prior to submission of initial proposals.

[End of Notice]

2	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
---	------------------------	-------------------------------------	----------

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987)of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil)

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 3 of 28
--------------------	---	--------------

Name of Offeror or Contractor: GREENLEES FILTER, LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 2940-00-168-2338 FSCM: 19207 PART NR: 11598003 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u>  NOUN: AIR CLEANER ASSY, INTAKE PRON: EH3AA877EH PRON AMD: 01 ACRN: AA AMS CD: 060011  <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 11598003 DATE: 26-SEP-2003  QPL applies to this items components and sub-assemblies. First Article Test does apply to this item.  (End of narrative D001)  <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B  <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin  Please Note:  Additional FAT Inspection and Acceptance clause located in paragraph 60.  (End of narrative E001)  <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV3267T691 W31G1Z J 2 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 155 0360  FOB POINT: Destination  SHIP TO: <u>FREIGHT ADDRESS</u> (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER	155	EA	\$ 370.00000	\$ 57,350.00

Name of Offeror or Contractor: GREENLEES FILTER, LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001AB	<p>TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0346/0000</p> <p><u>DATA ITEM</u></p> <p>NOUN: FIRST ARTICLE TEST REPORT</p> <p>FIRST ARTICLE TEST REPORT, PURSUANT TO THE REQUIREMENTS OF THE CLAUSE ENTITLED "FIRST ARTICLE APPROVAL - CONTRACTOR TESTING". (SEE PAGE 13)</p> <p>(End of narrative C001)</p> <p><u>Packaging and Marking</u></p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin Government Approval/Disapproval Days: 30</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 3 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 1 0270</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00002) SEE CLAUSE IN SECTION E OR I FOR DISTRIBUTION</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0346/0000</p>	1	LO	\$ ** NSP **	\$ ** NSP **
0002	<p>NSN: 2940-00-168-2338 FSCM: 19207 PART NR: 11598003 SECURITY CLASS: Unclassified</p>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 5 of 28
--------------------	---	--------------

Name of Offeror or Contractor: GREENLEES FILTER, LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002AA	<p><u>PRODUCTION QUANTITY</u></p> <p>65</p> <p>NOUN: AIR CLEANER ASSY, INTAKE PRON: EH3AA878EH PRON AMD: 01 ACRN: AA AMS CD: 060011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 11598003 DATE: 26-SEP-2003</p> <p>QPL applies to this items components and sub-assemblies. First Article Test does apply to this item.</p> <p>(End of narrative D001)</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p>Please Note:</p> <p>Additional FAT Inspection and Acceptance clause located in paragraph 60.</p> <p>(End of narrative E001)</p> <p><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3267T692 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 65 0360</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0346/0000</p>	65	EA	\$ 360.00000	\$ 23,400.00

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page</b> 6 <b>of</b> 28
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

INSPECTION AND ACCEPTANCE

\*\*\* END OF NARRATIVE E 001 \*\*\*

**CONTINUATION SHEET**

Reference No. of Document Being Continued

Page 7 of 28

**PIIN/SIIN** W56HZV-04-P-0346

**MOD/AMD**

**Name of Offeror or Contractor:** GREENLEES FILTER, LLC

## CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/								JOB		
		OBLG						ORDER	ACCOUNTING	OBLIGATED	
<u>ITEM</u>	<u>MIPR</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>NUMBER</u>	<u>STATION</u>	<u>AMOUNT</u>	
0001AA	EH3AA877EH 060011	AA	2	97	X4930AC9D	6D	26KB	S20113	W56HZV	\$ 57,350.00	
0002AA	EH3AA878EH 060011	AA	2	97	X4930AC9D	6D	26KB	S20113	W56HZV	\$ 23,400.00	
									TOTAL	\$ 80,750.00	

SERVICE						ACCOUNTING	OBLIGATED
<u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>STATION</u>	<u>AMOUNT</u>
Army	AA	97	X4930AC9D	6D	26KB S20113	W56HZV	\$ 80,750.00
						TOTAL	\$ 80,750.00

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 8 of 28
	PIIN/SIIN W56HZV-04-P-0346MOD/AMD	
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

CONTRACT CLAUSES

3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
5	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
6	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
7	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
8	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
9	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
10	252.227-7013	RIGHTS IN TECHNICAL DATA --NONCOMMERCIAL ITEMS	NOV/1995
11	252.227-7016	RIGHTS IN BID OR PROPOSAL INFORMATION	JUN/1995
12	252.227-7017	IDENTIFICATION AND ASSERTION OF USE, RELEASE, OR DISCLOSURE RESTRICTIONS	JUN/1995
13	252.227-7028	TECHNICAL DATA OR COMPUTER SOFTWARE PREVIOUSLY DELIVERED TO THE GOVERNMENT	JUN/1995
14	252.227-7030	TECHNICAL DATA--WITHHOLDING OF PAYMENT	MAR/2000
15	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
16	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
17	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)  
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name \_\_\_\_\_  
 Manufacturer's Name \_\_\_\_\_  
 Source's Name \_\_\_\_\_  
 Item Name \_\_\_\_\_  
 Service \_\_\_\_\_  
 Identification\_\_\_\_\_Test Number\_\_\_\_\_(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page</b> 9 <b>of</b> 28
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

[End of Clause]

18                    52.209-3                    FIRST ARTICLE APPROVAL--CONTRACTOR TESTING (ALTERNATE I (JAN 1997)                    SEP/1989  
AND ALTERNATE II (SEP 1989))

(a) The Contractor shall test 4 unit(s) of Contract Line Item 0001AA as specified in this contract. At least 20 calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.

(b) The Contractor shall submit the first article test report within 270 calendar days from the date of this contract to the Administrative Contracting Officer (ACO) marked FIRST ARTICLE TEST REPORT: Contract No. W56HZV-04-P-XXXX; Contract Line Item Number 0001AB.

Within 30 calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.

(c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

(d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the DEFAULT clause of this contract.

(e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.

(f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon timely written request from the Contractor, equitably adjust under the CHANGES clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

(g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.

(h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the offeror/contractor and have been accepted by the Government. The offeror/contractor may request a waiver.

(i) The Contractor shall produce both the first article and the production quantity at the same facility.

[End of Clause]

TACOM ADDENDUM: For purposes of this contract, interpret Paragraph (g) above to mean that the PCO hereby authorizes you to purchase all material and components necessary to produce the production quantity.

[End of Addendum]

19                    52.204-4006                    INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED                    MAY/2000  
(TACOM)                    ACQUISITIONS AND DESIGNATION OF F.O.B. POINT

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 10 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

into this document. The version in effect at time of award is the version that applies to your purchase order.

- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
- (d) We hereby specify that the required F.O.B. point for this acquisition is DESTINATION.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

20	52.209-4000	NOTICE REGARDING FIRST ARTICLE TEST SAMPLE	MAR/2000
	(TACOM)		

- (a) The approved first article items, as described elsewhere in this contract, consist of a quantity of 1 that will be consumed or destroyed in testing. Any items consumed or destroyed in testing shall not be delivered as part of the contractually required quantity as set forth in the schedule. The cost of any items that are consumed or destroyed shall be included in the overall offer or contract price. A quantity of 3 that successfully passes all specified tests, less the destructive tests, if any, shall serve as a manufacturing standard for the remainder of the contract.
- (b) A manufacturing standard is an item, which conforms to all technical performance requirements. A manufacturing standard will serve as 1) an aid in identifying configuration changes not controlled by the contractual design. 2) as an aid in identifying any process changes, or 3) as the approved workmanship sample, when required, unless alternate samples are submitted for specific characteristics by the Contractor and approved by the Government.
- (c) The manufacturing standard will only be used to supplement contractual acceptance/rejection criteria for those process characteristics that require approved workmanship samples. For other characteristics, if configuration or process changes are identified in production units, the contractor will notify the contracting officer for disposition. Manufacturing items that serve as a manufacturing standard may be delivered as part of the contractual quantity with the last shipment made under this contract provided it meets all contractual requirements existing at time of delivery.

[End of Clause]

21	52.211-4015	CONFIGURATION CONTROL--ENGINEERING CHANGES	JUL/2002
	(TACOM)		

- (a) DEFINITIONS:
  - (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
  - (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
  - (3) Value Engineering Change Proposal (VECP). A proposal that --
    - (i) Requires a change to the instant contract; and
    - (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
      - (A) In deliverable end item quantities only;

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 11 of 28</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:** GREENLEES FILTER, LLC

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is MC.

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer [khatiwk@tacom.army.mil](mailto:khatiwk@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 12 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDS shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

22	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES	MAR/2000
----	------------------------	---	----------

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: N/A.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

23	52.211-4515	PACKAGING REQUIREMENT (SPECIAL PACKAGING INSTRUCTIONS)	SEP/2003
----	-------------	--	----------

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: B

QUANTITY PER UNIT PACKAGE: 001

(4) SPECIAL PACKAGING INSTRUCTION NUMBER. NONE

a. REVISION

b. DATE OF REVISION

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 13 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (e) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
- (f) SUPPLEMENTAL INSTRUCTIONS: NONE

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 14 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

[End of Clause]

24                      52.211-4517                      PACKAGING REQUIREMENTS (COMMERCIAL)                      SEP/2003

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

(d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:

- (1) The quantity is over one (1) gross of the same national stock number,
- (2) Use enhances handling and inventorying,
- (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
- (4) The unit pack is less than 64 cubic inches,
- (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 15 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

(g) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(h) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

(4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 16 of 28
--------------------	---	---------------

Name of Offeror or Contractor: GREENLEES FILTER, LLC

25      52.246-4005      INSPECTION AND ACCEPTANCE POINTS: ORIGIN      FEB/1995  
(TACOM)

(a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN

(b) Origin inspection shall take place at the site specified below:

Greenlees Filter LLC  
7550 Industrial Drive  
Forest Park, IL 60130

[End of Clause]

26      52.246-4052      HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM      MAR/2000  
(TACOM)      REQUIREMENT

The Quality System for this procurement is: ISO 9002

[End of Clause]

27      52.246-4053      USE OF MIL-STD 1916      JAN/2001  
(TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

28      52.247-48      F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION)      JUL/1995

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

(1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.

(2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or

(3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.

(b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

[End of Clause]

29      252.225-7036      BUY AMERICAN ACT--NORTH AMERICAN FREE TRADE AGREEMENT IMPLEMENTATION      APR/2003  
ACT--BALANCE OF PAYMENTS PROGRAM

(a) Definitions. As used in this clause-

(1) "Component" means an article, material, or supply incorporated directly into an end product.

(2) "Domestic end product" means-

(i) An unmanufactured end product that has been mined or produced in the United States; or

(ii) An end product manufactured in the United States if the cost of its qualifying country components and its components that are mined, produced, or manufactured in the United States exceeds 50 percent of the cost of all

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 17 of 28
--------------------	---	---------------

Name of Offeror or Contractor: GREENLEES FILTER, LLC

its components. The cost of components includes transportation costs to the place of incorporation into the end product and U.S. duty (whether or not a duty-free entry certificate is issued). Scrap generated, collected, and prepared for processing in the United States is considered domestic. A component is considered to have been mined, produced, or manufactured in the United States (regardless of its source in fact) if the end product in which it is incorporated is manufactured in the United States and the component is of a class or kind for which the Government has determined that-

- (A) Sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States; or
- (B) It is inconsistent with the public interest to apply the restrictions of the Buy American Act.
- (3) "End product" means those articles, materials, and supplies to be acquired under this contract for public use.
- (4) "Foreign end product" means an end product other than a domestic end product.
- (5) "North American Free Trade Agreement (NAFTA) country" means Canada or Mexico.
- (6) "NAFTA country end product" means an article that-
  - (i) Is wholly the growth, product, or manufacture of a NAFTA country; or
  - (ii) In the case of an article that consists in whole or in part of materials from another country or instrumentality, has been substantially transformed in a NAFTA country into a new and different article of commerce with a name, character, or use distinct from that of the article or articles from which it was transformed. The term refers to a product offered for purchase under a supply contract, but for purposes of calculating the value of the end product includes services (except transportation services) incidental to its supply, provided that the value of those incidental services does not exceed the value of the product itself.
- (7) "Qualifying country" means any country set forth in subsection 225.872-1 of the Defense Federal Acquisition Regulation Supplement.
- (8) "Qualifying country component" means a component mined, produced, or manufactured in a qualifying country.
- (9) "Qualifying country end product" means-
  - (i) An unmanufactured end product mined or produced in a qualifying country; or
  - (ii) An end product manufactured in a qualifying country if the cost of the following types of components exceeds 50 percent of the cost of all its components:
    - (A) Components mined, produced, or manufactured in a qualifying country.
    - (B) Components mined, produced, or manufactured in the United States.
    - (C) Components of foreign origin of a class or kind for which the Government has determined that sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States.
- (10) "United States" means the United States, its possessions, Puerto Rico, and any other place subject to its jurisdiction, but does not include leased bases or trust territories.
- (b) This clause implements the Buy American Act (41 U.S.C. Section 10a-d), the Balance of Payments Program, and the North American Free Trade Agreement Implementation Act of 1993 (19 U.S.C. 3301 note). Unless otherwise specified, this clause applies to all items in the Schedule.
- (c) The Contractor shall deliver under this contract only domestic end products unless, in its offer, it specified delivery of qualifying country, NAFTA country, or other foreign end products in the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program Certificate provision of the solicitation. If the Contractor certified in its offer that it will deliver a qualifying country end product or a NAFTA country end product, the Contractor shall deliver a qualifying country end product, a NAFTA country end product, or, at the Contractor's option, a domestic end product.
- (d) The contract price does not include duty for end products or components for which the Contractor will claim duty-free entry.

(End of clause)

30 252.225-7037 DUTY-FREE ENTRY--ELIGIBLE END PRODUCTS MAR/1998

(a) Definition. "Eligible end product," as used in this clause, means-

- (1) "Designated country end product," "Caribbean Basin country end product," or "NAFTA country end product," as defined in the Trade Agreements clause of this contract;
  - (2) "NAFTA country end product," as defined in the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program clause of this contract; or
  - (3) "Canadian end product," as defined in Alternate I of the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program clause of this contract.
- (b) The requirements of this clause apply to this contract and subcontracts, including purchase orders, that involve delivery of eligible end products to be accorded duty-free entry whether placed-

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 18 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(1) Directly with a foreign concern as a prime contract; or

(2) As a subcontract or purchase order under a contract with a domestic concern.

(c) Except as otherwise approved by the Contracting Officer, no amount is or will be included in the contract price for duty for eligible end products.

(d) The Contractor warrants that-

(1) All eligible end products, for which duty-free entry is to be claimed under this clause, are intended to be delivered to the Government; and

(2) The Contractor will pay any applicable duty to the extent that such eligible end products, or any portion thereof (if not scrap or salvage) are diverted to nongovernmental use, other than as a result of a competitive sale made, directed, or authorized by the Contracting Officer.

(e) The Government agrees to execute duty-free entry certificates and to afford such assistance as appropriate to obtain the duty-free entry of eligible end products for which the shipping documents bear the notation specified in paragraph (f) of this clause, except as the Contractor may otherwise agree.

(f) All shipping documents submitted to Customs, covering eligible end products for which duty-free entry certificates are to be issued under this clause, shall-

(1) Consign the shipments to the appropriate-

(i) Military department in care of the Contractor, including the Contractor's delivery address; or

(ii) Military installation; and

(2) Include the following information-

(i) Prime contract number, and delivery order if applicable;

(ii) Number of the subcontract/purchase order for foreign supplies if applicable;

(iii) Identification of carrier;

(iv)

(A) For direct shipments to a U.S. military installation, the notation: UNITED STATES GOVERNMENT, DEPARTMENT OF DEFENSE Duty-Free Entry to be claimed pursuant to Section XXII, Chapter 98, Subchapter VIII, Item 9808.00.30 of the Harmonized Tariff Schedule of the United States. Upon arrival of shipment at the appropriate port of entry, District Director of Customs, please release shipment under 19 CFR part 142, and notify Commander, Defense Contract Management Command (DCMC) New York, ATTN: Customs Team, DCMCN-GNIC, 207 New York Avenue, Staten Island, New York 10305-5013, for execution of Customs Forms 7501, 7501A, or 7506 and any required duty-free entry certificates.

(B) In cases where the shipment will be consigned to other than a military installation, e.g., a domestic contractor's plant, the shipping document notation shall be altered to insert the name and address of the contractor, agent or broker who will notify Commander, DCMC, NY, for execution of the duty-free certificate. (Note: In those instances where the shipment will be consigned to a contractor's plant and no duty-free entry certificate is required, the contractor or its agent shall claim duty-free entry under NAFTA or other trade agreement and shall comply with the U.S. Customs Service requirements. No notification to Commander, DCMC, NY, is required.

(v) Gross weight in pounds (if freight is based on space tonnage, state cubic feet in addition to gross shipping weight);

(vi) Estimated value in U.S. dollars; and

(vii) Activity Address Number of the contract administration office actually administering the prime contract, e.g., for DCMC Dayton, S3605A.

(g) Preparation of customs forms.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 19 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(1) Except for shipments consigned to a military installation, the Contractor shall prepare, or authorize an agent to prepare, any customs forms required for the entry of eligible end products in connection with DoD contracts into the United States, its possessions, or Puerto Rico. The completed customs forms shall be submitted to the District Director of Customs with a copy to DCMC NY for execution of any required duty-free entry certificates. Shipments consigned directly to a military installation will be released in accordance with 10.101 and 10.102 of the U.S. Customs regulations.

(2) For shipments containing both supplies that are to be accorded duty-free entry and supplies that are not, the Contractor shall identify on the customs forms those items that are eligible for duty-free entry.

(h) The Contractor agrees-

(1) To prepare (if this contract is placed directly with a foreign supplier), or to instruct the foreign supplier to prepare, a sufficient number of copies of the bill of lading (or other shipping document) so that at least two of the copies accompanying the shipment will be available for use by the District Director of Customs at the port of entry;

(2) To consign the shipment as specified in paragraph (f) of this clause; and

(3) To mark the exterior of all package as follows:

(i) "UNITED STATES GOVERNMENT, DEPARTMENT OF DEFENSE;" and

(ii) The activity address number of the contract administration office actually administering the prime contract.

(i) The Contractor agrees to notify the Contracting Officer administering the prime contract in writing of any purchase under the contract of eligible end products to be accorded duty-free entry that are to be imported into the United States for delivery to the Government or for incorporation in end items to be delivered to the Government. The notice shall be furnished to the contract administration office immediately upon award to the supplier of the eligible end products. The notice shall contain-

(1) Prime contractor's name, address, and CAGE code;

(2) Prime contract number, and delivery order number if applicable;

(3) Total dollar value of the prime contract or delivery order;

(4) Expiration date of the prime contract or delivery order;

(5) Foreign supplier's name and address;

(6) Number of the subcontract/purchase order for eligible end products;

(7) Total dollar value of the subcontract for eligible end products;

(8) Expiration date of the subcontract for eligible end products;

(9) List of items purchased;

(10) An agreement by the Contractor that any applicable duty shall be paid by the Contractor to the extent that such eligible end products are diverted to nongovernmental use other than as a result of a competitive sale made, directed, or authorized by the Contracting Officer; and

(11) The scheduled delivery date(s).

[End of Clause]

31 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-P-0346      MOD/AMD</p>	<p style="text-align: center;"><b>Page 20 of 28</b></p>
--	--	---

**Name of Offeror or Contractor:** GREENLEES FILTER, LLC

- (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
- (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
- (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
- (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
- (i) This contract is a construction contract; or
- (ii) The supplies being transported are-
- (A) Noncommercial items; or
- (B) Commercial items that-
- (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
- (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
- (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
- (1) U.S.-flag vessels are not available for timely shipment;
- (2) The freight charges are inordinately excessive or unreasonable; or
- (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;
- (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 21 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

32            52.204-4005            REQUIRED USE OF ELECTRONIC CONTRACTING            DEC/2002  
(TACOM)

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

- Warren: [http://contracting.tacom.army.mil/awards\\_official.htm](http://contracting.tacom.army.mil/awards_official.htm)
- Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
- Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
- Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
- Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 22 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

(1) Microsoft\* 97 Office Products (TACOM can currently read OFFICE 97\* and lower.): Word, Excel, Powerpoint, or Access

(2) 100 OR 250 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM

(3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).

(4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

33            52.204-4009            MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION            JUN/1999  
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

34            52.209-4004            DELEGATION OF AUTHORITY FOR FIRST ARTICLE APPROVAL            DEC/1996  
(TACOM)

The Administrative Contracting Officer (ACO) is delegated the authority to approve or disapprove the First Article Test Report submitted in accordance with the clause in this order entitled FIRST ARTICLE APPROVAL -- CONTRACTOR TESTING (FAR 52.209-3). A copy of the test report and the ACO's letter of approval or disapproval shall be furnished through the Procuring Contracting Officer (PCO) to: Commander, US Army Tank-automotive and Armaments Command, Attn: AMSTA-TR-E, Warren, MI 48397-5000.

[End of Clause]

35            52.209-4012            NOTICE REGARDING FIRST ARTICLE            APR/2000  
(TACOM)

(a) Notwithstanding the provisions for waiver of first article, an additional first article sample (or portion thereof) may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of one year, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 23 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

(b) When any of the conditions above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample (or portion thereof), and instructions can be provided concerning the submission, inspection, and notification of results.

(c) Costs of any additional testing and inspection resulting from conditions specified above shall be borne by the Contractor, unless the change was directed by the Government. Further, any production delays caused by additional testing and inspection will not be the basis for an excusable delay as defined in the default clause of this contract. Such delays shall not form the basis for adjustment in contract price or delivery schedule.

[End of Clause]

36	52.211-4008 (TACOM)	DRAWING LIMITATIONS	NOV/2002
----	------------------------	---------------------	----------

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

37	52.211-4030 (TACOM)	SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	MAR/2001
----	------------------------	---	----------

(a) Application: MIL-C-46168  
MIL-C-53039  
MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured\* (See \*Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 24 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

(4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

\*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

<u>SPECIFICATION</u>	<u>DRY FILM THICKNESS (Mils)</u>
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

\*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0346 MOD/AMD	Page 25 of 28
Name of Offeror or Contractor: GREENLEES FILTER, LLC		

coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

38

52.211-4036

FORMAT OF THE TECHNICAL DATA PACKAGE

APR/2000

(TACOM)

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM  
AMSTA-CM-CDD (TDP Requests)  
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

39

52.215-4404

DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY

MAY/2002

(TACOM)

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

40

52.246-4026

LOCAL ADDRESS FOR DD FORM 250

MAR/2002

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 26 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmision. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

41            52.247-4458            GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION            SEP/2000  
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length 21.5\_x Width\_18.5\_x Depth 17\_(expressed in inches)/Weight expressed in 25.5 pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, 21.5 x Width, 18.5 x Height,\_17 (expressed in feet and inches)

(ii) Number of unit packages per shipping container 1\_ each

(iii) Gross weight of Shipping container and contents 25.5\_ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [X ] No [ ]; describe: Skidded \_\_\_\_\_.

(ii) Number of Shipping containers per pallet/skid \_8\_\_\_\_\_ each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials \_40\_\_\_\_\_ Lbs

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-P-0346 <b>MOD/AMD</b>	<b>Page 27 of 28</b>
<b>Name of Offeror or Contractor:</b> GREENLEES FILTER, LLC		

(iv) Size of Unit Load(pallet/skid including shipping container(s))assembled for handling and transportation as a single entity:

Length, \_3'6"\_ x Width, 4'0"\_ x Height,\_4'0"\_ (expressed in feet and inches)

(v) Gross Weight of Unit Load 244 Lbs;

[End of Clause]

60 E-11 INSPECTION AND ACCEPTANCE (QUALITY ASSURANCE REQUIREMENT)

In addition to inspection requirements specified in applicable drawings and/or specifications, the following provisions shall apply to this contract:

1) FIRST ARTICLE APPROVAL-CONTRACTOR TESTING: First Article Approval-Contractor Testing shall be performed in accordance with MIL-F-46736.

2) For the prupose of clarification of this document, the terminology "First Article" shall replace "INITIAL PRODUCTION INSPECTION" in all applicable specifications and/or drawings referenced herein.

3) The First Article Test Report (FATR) shall be compiled by the contractor to the contractor's own format. The FATR shall document the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The FATR shall include actual inspections and test results to include all measurements, recorded test data, and certifications, when applicable). The FATR shall include actual inspections and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and Quality Assurance Provision (QAP) requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. The FATR shall contain sufficient narrative content, technical data, illustrations or photographic evidence, and an objective determination by the contractor to allow the designated Government representative to determine that the First Article Test was successfully completed.

\*\*\* END OF NARRATIVE I 001 \*\*\*

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 28 of 28
	PIIN/SIIN W56HZV-04-P-0346	MOD/AMD	
Name of Offeror or Contractor: GREENLEES FILTER, LLC			

LIST OF ATTACHMENTS

<u>List of Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number of Pages</u>	<u>Transmitted By</u>
Attachment 001	TDP 11598003	26-SEP-2003		DATA